




ALUMINIUM  

---

DOORS

**STRUGAL**



# WITH ALUMINIUM, EVERYTHING'S AN ADVANTAGE



## EASY ASSEMBLY

They are easy to assemble and disassemble. Their installation generates no debris.



## ECOLOGICAL

'Green' doors that respect the environment.



## EASY TO MAINTAIN

They are easy to clean and maintain.



## ANTI-BACTERIAL

Available with anti-bacterial finish.



## SECURE

They offer a significant security increase. Burglar-proof exterior doors.



## FUNCTIONAL

They have easy-to-place flashings for disassembly and assembly when painting.



## THERMAL ISOLATION

Insulation from the outside temperature, thermal break. It provides greater comfort for the indoor environment and contributes considerably to energy savings.



## VERSATILE

They can be installed in both aluminium and wood pre-frames.



## DESIGN

They permit customised design.



## ADJUSTABLE

They adjust to size on-site.



## ANTI-HUMIDITY

STRUGAL doors are resistant to humidity and contact with water.



## ANTI-MICROORGANISM

They are immune to microorganisms: 100% effective against woodworm, termites and other insects.



## MULTIPLE FINISHES

### STANDARD COLOURS



### WOOD



STOCK IN STANDARD SIZES. Check availability.



SPECIAL COLOURS. Please check to confirm options and availability, and any increases over the standard price.



# INTERIOR DOORS

An original alternative in aluminium that offers an effective and definitive solution to the problems of wood. Personalised design for every need.

- Plain Collection
- Milled Collection
- Aluminium Inlay Collection

### STANDARD BLOCK SIZE

LEAF SIZE		LEAF + FRAME SIZE	
Width (mm)	Height (mm)	Width (mm)	Height (mm)
620	2030 / 2110	659	2055 / 2135
720	2030 / 2110	759	2055 / 2135
820	2030 / 2110	859	2055 / 2135
920	2030 / 2110	959	2055 / 2135

**SPECIAL SIZES:**  
Maximum of 1239 x 2725 mm.



# INTERIOR SLIDING DOORS

# EXTERIOR DOORS

Designed to offer anti-theft security, resistance and durability. They add design and style value to the whole house.

- **Smooth and Milled Collection.**
- **Staves Collection**
- **Glass Collection**

## STANDARD BLOCK SIZE


INSTALLATION A:		PRE-FRAME		DIRECT TO THE BUILDING	
LEAF SIZE		LEAF + FRAME SIZE		LEAF + FRAME SIZE	
Width (mm)	Height (mm)	Width (mm)	Height (mm)	Width (mm)	Height (mm)
820	2030 / 2110	861	2055 / 2135	893	2071 / 2151
920	2030 / 2110	961	2055 / 2135	993	2071 / 2151

### SPECIAL SIZES:

Maximum 1241 x 2525 mm for pre-frame and 1273 x 2541 mm for direct to the building.


AND EXTERIOR DOORS WITH

## THERMAL BREAK



### FRAME WITH TB

Aluminium frames with the Thermal Break feature ensure greater thermal protection.



### BOTTOM RAIL WITH TB

The Thermal Break BOTTOM RAIL improves the door's watertightness and air permeability. Its minimum thickness also does not represent an architectural barrier.

# PEDESTRIAN TRAFFIC DOORS **EI30**

## STANDARD BLOCK SIZE

PRE-FRAME INSTALLATION

LEAF SIZE		LEAF + FRAME SIZE	
Width (mm)	Height (mm)	Width (mm)	Height (mm)
820	2030	861	2053
820	2110	861	2133
920	2030	961	2053
920	2110	961	2133

## SPECIAL SIZES:

Maximum of 1041 mm x 2425 mm.



## WITH OPTION OF FIRE DOOR

All doors in our Exterior collection are optionally available as fire resistant doors. Fire doors are installed to prevent the spread of fire by means of a compartmentation system and to allow rapid evacuation of the building or dwelling.

Available in **RF30**


STRUGAL manufactures completely customised solutions for wardrobe fronts with sliding or hinged doors, adapting to the needs of each client.

One of the most attractive features of this brand a pioneer on the market is how it unifies all the indoor enclosures within the same home. From windows to doors and cabinet fronts, all the elements can be manufactured in the same colour, providing a differential and harmonious solution.

# WARDROBE DOORS




# WOOD FLOOR SKIRTING



## WOOD FLOOR SKIRTING

Designed to fill expansion joint between a wood floor and a wall.

# LED SKIRTING



## REMOVABLE SKIRTING

This skirting is made up of two sections clipped together. This makes assembly and disassembly easy for simple, wood floor and led skirting.



## LED SKIRTING

Designed to include an LED strip inside, thus achieving indirect lighting for decorative or signage purposes.



## FLASHING

Flush joints between the flashing and the skirting. Homogenous finishes. Width: 45 - 70 - 90 mm.

ST

[www.strugal.com](http://www.strugal.com)

f @ p in